

# LED Video Walls

## 2022

**VESTEL**


[www.vestelvisualsolutions.com](http://www.vestelvisualsolutions.com)







## Line-up P2.0



800 nits\*



Die-Casting Al



## Technical Parameters

Compatible with **NOVA STAR**

### Physical Parameters

Pixel Configuration	1R, 1G, 1B - 1515 SMD	Aspect Ratio	4:3
Module Resolution (W x H)	160x80	Pixel Pitch (mm)	2,0
Cabinet Resolution (W x H)	320x240	Module Dimensions (W x H, mm)	320x160
Cabinet Surface Area (m <sup>2</sup> )	0,3072	No. of Modules per Cabinet (W x H)	2x3
Service Access	Fully Front	Cabinet Dimensions (W x H x D)	640x480x69.6
Cabinet Material	Die-casting Al	Physical Pixel Density (pixels/m <sup>2</sup> )	250.000

### Optical Parameters


Min. Brightness	800 Nit	Color Temperature	Adjustable
Visual Viewing Angle (HxV)	>160° x 160°	HDR Compatibility	Optional
Processing Depth (bit)	13		

### Electrical Parameters

Driver-IC Type	Common Anode	Power Consumption (W/cabinet)	<170
Power Consumption (W/cabin)	<70 (%30 Gray)	Power Consumption (W/m <sup>2</sup> , Max.)	<540
Frame Rate (Hz)	50/60	Power Supply (V)	110 to 240
Refresh Rate (Hz)	1920		



## Line-up P2.6



800 nits\*



Die-Casting Al



## Technical Parameters

Compatible with **NOVA STAR**

Physical Parameters			
Pixel Configuration	1R, 1G, 1B - 2121 SMD	Pixel Pitch (mm)	2,6
Module Resolution (W x H)	96x96	Module Dimensions (W x H, mm)	250x250
Cabinet Resolution (W x H)	192x192	No. of Modules per Cabinet (W x H)	2x2
Cabinet Surface Area (m <sup>2</sup> )	0,25	Cabinet Dimensions (W x H x D)	500x500
Weight per Square Meter (kg/m <sup>2</sup> )	35,44	Weight per Cabinet (kg/cabinet)	8,86
Service Access	Front and Rear	Physical Pixel Density (pixels/m <sup>2</sup> )	147.456
Cabinet Material	Die-casting Al		
Optical Parameters			
Brightness (typ)	800 nit*	Color Temperature	Adjustable
Visual Viewing Angle (HxV)	>160° x 160°	HDR Compatibility	Optional
Processing Depth (bit)	14	Light Uniformity (%)	97
Electrical Parameters			
Driver-IC Type	Common Anode	Power Consumption (W/cabinet)	<100
Power Consumption (W/cabin)	<25 (%30 Gray)	Power Consumption (W/m <sup>2</sup> , Max.)	<380
Frame Rate (Hz)	50/60	Power Supply (V)	110 to 240
Refresh Rate (Hz)	1920		

\* After calibration



# Specifications



<https://www.vestelvisualsolutions.com/eu-en/led-video-walls>

For further information about products specifications  
**please scan the QR code.**

**VESTEL**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye  
**Phone:** 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84  
vesteltrade@vestel.com.tr · [www.vestelvisualsolutions.com](http://www.vestelvisualsolutions.com)



/vestelinternational