

Interactive Flat Panel
IFX862-4P

VESTEL



Key Features

Display

Mărimea	86"
Tip iluminare	Direct-Type LED
Luminozitate (Nits)	350 cd/m ²
Rezoluție	UHD: 3840 x 2160 HDR10
Aspect Ratio	16:9
Raport de contrast	1200:1
Contrast dinamic	35000:1
Durata de viață a panoului (min.)	30000 Hrs
Timpe de răspuns	8 ms
Ramă totală (H x V)	1895 x 1066 mm
Unghi de vizualizare	178° Vert., 178° Hor. (89U/89D/89L/89R) @ CR>10
Valoarea culorii	1.07 B (10-bit)
Haze Level	8%
Refresh Rate	60 Hz
Tip Sticla	4 mm Tempered Anti-Glare
Duritate Sticla	8 Mohs

Built-in System

Placă de bază	MB170VS
Operating System	Customized Android Pie 9.0
CPU	CA55 Quad core
GPU	Mali470 MP3
Depozitare	8GB EMMC
Memorie	1.5GB DDR3 / 2GB Upgrade
Cu fir	10/100 Mbps Ethernet
WiFi	WiFi 5 (802.11 a/b/g/n/ac)
Bluetooth	BT 4.2

User Experience

Pagina principală	Personalized Background, Home buttons, Navigation bar, Quick Palette
Lansator	All Apps, Profile Login/Logout, Quick Settings, Tools, Source Change
Aplicații	Whiteboard, ScreenShare, Web browser, File Manager, Media Player
Sistem de management al consiliului	Connected System for User Profile Management
USB de tip C	Data transfer: USB2.0, Charging capability: 7.5W, DP alternate mode: 4K video stream
Alții	Over-the-Air SW Update, Screen Freeze, Screen Lock, Dual Pen Recognition, Palm Erase, Annotate over Any Source

lesire audio	Headphone(Line-out), Optic SPDIF
Control extern	RS232(3.5mm jack), Ethernet(RJ45), Service(RJ12)
Senzor extern	RJ12

Front Accessibility

I / S frontale	2 x USB2.0 Type-A, 1 x USB2.0 Type-B for touch, 1 x HDMI2.0 Input
Butoane Console	Standby on/off Volume up Volume down Touch enable/disable Source Change, Settings
Receptor IR	Fixed on bezel
Audio	2x20 W - Front Facing Speakers
Suport stilou	Integrated Magnetic Tray

Touch Interactivity

Tipul Tehnologiei Touch	Infrared (IR) Technology
Puncte de atingere continue	Max. 20 touch points* *Bounded by application's limits
Touch Resolution	32768 x 32768 px
Sensibilitate	Any touch with finger, gloved hand or pointer
Compatibilitate	Windows@7,Windows@8, Windows@10, Vista, XP, Mac@ OS, Linux, Android
Timpe De Răspuns	< 5 ms
Atingeți Precizie	+/- 1 mm (over 90% area)
Tip Stilou	Battery-less Pen
Identitate Stilou	2
Obiecte de dimensiuni pentru atingere	2.8 & 10 mm

Mechanical

Product Dimensions (WxDxH)	1962 x 1184 x 97 mm
Package Dimensions (WxDxH)	2163 x 1405 x 318 mm
Product Weight	TBD
Package Weight	TBD
Vesa Mounting	600 x 400 mm - M8
Bezel Width	B:66 T:15 L/R:15 mm

Conditii de lucru

Condiții de temperatură	+40°C / 0°C
Umiditate	90%

Putere

Alimentare electrică	110 VAC - 240 VAC
----------------------	-------------------

Caracteristici

Rear I/Os

RGB Input	VGA
Intrare video	4 x HDMI2.0, 2 x USB2.0 type-A, 1 x USB2.0 type-C, 1 x MicroSD (up to 1TB), 1 x Secure Slot (USB2.0), 1 x OPS Slot(15W)
Ieșire video	1 x HDMI2.0

Caracteristici mecanice	Slim Bezel, User-Friendly Front Ports and Buttons, Detachable power cable, Carrying handles
-------------------------	--

Certificare

Aprobare de siguranță	YES
EMC de aprobare	YES
CE	YES